

KLING-PAK

Packaging Products



Tools and Fasteners

Manual Post Bottomers



Application
Stapling the bottom of corrugated boxes ranging in thickness up to triple wall.



Models:	Fastener Type	Fastener Length
KP-CBM	C (1-1/4" Crown)	1/2", 5/8", 3/4", 7/8"
KP-ABM	A (1-3/8" Crown)	5/8", 3/4", 7/8"

Technical data

Tool length	36"
Tool height	49"
Tool width	24"
Tool weight	59 Lbs.
Magazine capacity	200 Staples
Air pressure	N/A

Pneumatic Post Bottomers



Application
Stapling the bottom of corrugated boxes ranging in thickness up to triple wall.



Models:	Fastener Type	Fastener Length
KP-CBPN	C (1-1/4" Crown)	1/2", 5/8", 3/4", 7/8"
KP-ABPN	A (1-3/8" Crown)	5/8", 3/4", 7/8"


Technical data

Tool length	33"
Tool height	49"
Tool width	24"
Tool weight	51 Lbs.
Magazine capacity	200 Staples
Air pressure	78-85 PSI

Manual Side Arm Staplers



Application
Securing or closing of special packaging; such as trays, lids or flat sheets of corrugate.



Models:	Fastener Type	Fastener Length
KP-CSM	C (1-1/4" Crown)	1/2", 5/8", 3/4", 7/8"

Technical data

Tool length	36"
Tool height	49"
Tool width	24"
Tool weight	56 Lbs.
Magazine capacity	200 Staples
Air pressure	N/A


Pneumatic Top Stapler



The Standard

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-CPN	C (1-1/4" Crown)	5/8", 3/4"
KP-APN	A (1-3/8" Crown)	5/8", 3/4"
KP-APN22	A (1-3/8" Crown)	7/8"
KP-SWPN	SW (1-3/8" Crown)	5/8", 3/4"

Technical data

Tool length	13.1"
Tool height	8.5"
Tool weight	4.4 Lbs.
Magazine capacity	100 Staples
Air pressure	70-90 PSI


Pneumatic Top Stapler



The Classic

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-561C-15PN	C (1-1/4" Crown)	5/8"
KP-561C-18PN	C (1-1/4" Crown)	3/4"

Technical data

Tool length	15.8"
Tool height	8.75"
Tool weight	5.6 Lbs.
Magazine capacity	150 Staples
Air pressure	70-100 PSI

Pneumatic Top Stapler



The Ergo

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-561PN	C (1-1/4" Crown)	5/8", 3/4"
KP-560PN	A (1-3/8" Crown)	5/8", 3/4"
KP-560PN22	A (1-3/8" Crown)	7/8"

Technical data

Tool length	16"
Tool height	8.3"
Tool weight	4.1 Lbs.
Magazine capacity	150 Staples
Air pressure	70-120 PSI


Manual Top Stapler



The Standard

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-CM	C (1-1/4" Crown)	5/8", 3/4"
KP-AM	A (1-3/8" Crown)	5/8", 3/4"
KP-SWM	SW (1-3/8" Crown)	5/8", 3/4"

Technical data

Tool length	15"
Tool height	11.5"
Tool weight	3.75 Lbs.
Magazine capacity	100 Staples
Air pressure	N/A

Manual Top Stapler



The Ergo

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-561M	C (1-1/4" Crown)	5/8", 3/4"
KP-560M	A (1-3/8" Crown)	5/8", 3/4"

Technical data

Tool length	18"
Tool height	12.59"
Tool weight	3.6 Lbs.
Magazine capacity	150 Staples
Air pressure	N/A


Pneumatic Top Stapler (Roll)



The Ergo

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-RC-RR1	RR1 (1-1/4" Crown)	5/8", 3/4"
KP-RC-555	555 (1-3/8" Crown)	5/8", 3/4"

Technical data

Tool length	9.25"
Tool height	8"
Tool weight	3.9 Lbs.
Magazine capacity	1000 Staples
Air pressure	70-120 PSI

Pneumatic Top Stapler (Roll)



The Standard

Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-RR1	RR1 (1-1/4" Crown)	5/8", 3/4"
KP-GR1	GR1 (1-1/4" Crown)	5/8", 3/4"
KP-GR1-22	GR1 (1-1/4" Crown)	7/8"
KP-SWC	SWC (1-3/8" Crown)	5/8", 3/4"

Technical data


Tool length	9"
Tool height	9"
Tool weight	5.3 Lbs.
Magazine capacity	1000 Staples
Air pressure	70-90 PSI

High Capacity Bench Mount Unit



Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.



Models:	Fastener Type	Fastener Length
KP-RR5-TTF	RR5 (1-1/4" Crown)	5/8", 3/4"
KP-GR5-TTF	GR5 (1-1/4" Crown)	5/8", 3/4"
KP-SWC-TTF	SWC (1-3/8" Crown)	5/8", 3/4"

Technical data

Tool length	21"
Tool height	8"
Tool width	18"
Tool weight	29.75 Lbs.
Magazine capacity	1000 Staples
Air pressure	70-90 PSI

Pneumatic Jumbo Stapler



Application

Closing of corrugated board-based packaging, such as folding boxes and cartons with complete overlap.




Models:	Fastener Type	Fastener Length
KP-JM25	K-SW9060 (1-1/4" Crown)	1"
KP-JM32	K-SW9060 (1-1/4" Crown)	1-1/8", 1-1/4", 1-3/8"
KP-JM38	K-SW9060 (1-1/4" Crown)	1-1/2"

Technical data


Tool length	14"
Tool height	14"
Tool weight	13.3 Lbs.
Magazine capacity	100 Staples
Air pressure	70-120 PSI

Pneu Stapler w/ Walking Stick



Application

Stapling bins, sheets, or gaylords to pallets. Allows the user stay upright, by extending their reach.



Models:	Fastener Type	Fastener Length
KP-35-590W	K-590 (15/16" Crown)	3/4" to 1-1/4"

Technical data


Tool length	13.4"
Tool height	33"
Tool weight	9 Lbs.
Magazine capacity	100 Staples
Air pressure	70-100 PSI

Pneumatic Plier Staplers



Application

Stapling corrugated board packaging. Best suited for container lids, end caps and bags.



Models:	Fastener Type	Fastener Length
KP-P50-10B-A	K-SB103020 (1/2" Crown)	3/8" to 5/8"
KP-P50-777	K-777 (1/2" Crown)	3/8" to 5/8"
KP-P50-779	K-779 (1/2" Crown)	3/8" to 5/8"

Technical data


Tool length	14.5"
Tool height	9.4"
Tool weight	4.8 Lbs.
Magazine capacity	102 Staples
Air pressure	36-55 PSI

Pneumatic Plier Stapler



Application

Stapling double or triple wall corrugate. Best suited for edge protectors, tray & lids, end caps, or container inserts.








Models:	Fastener Type	Fastener Length
KP-35T-590	K-590 (15/16" Crown)	3/4" to 1-1/4"

Technical data

Tool length	13.4"
Tool height	8.8"
Tool weight	5.5 Lbs.
Magazine capacity	100 Staples
Air pressure	72-100 PSI

Plier Staplers



Fastener	Leg	Crown	M/Box	Box/Carton	Box/Pallet	Pallet Weight
K-A-5/8	5/8"	1-3/8"	2	10	450	1923
K-A-3/4	3/4"	1-3/8"	2	10	480	2419
K-A-7/8	7/8"	1-3/8"	2	10	240	1340

Similar to ISM "A", JK 560 and Bostitch SW9040 Series

K-C-5/8	5/8"	1-1/4"	2.5	10	400	1627
K-C-3/4	3/4"	1-1/4"	2.5	10	360	1591
K-C-7/8	7/8"	1-1/4"	2.5	8	288	1489
K-C-5/8 2M	5/8"	1-1/4"	2	10	500	1630
K-C-3/4 2M	3/4"	1-1/4"	2	10	500	1770

Similar to ISM "C" and JK 561 Series

K-SW7437-5/8	5/8"	1-3/8"	2	10	360	1504
K-SW7437-3/4	3/4"	1-3/8"	2	10	360	1677

Similar to Bostitch SW7437 Series

Fastener	Leg	Crown	M/Box	Box/Carton	Box/Pallet	Pallet Weight
K-RR1-5/8	5/8"	1-1/4"	24	-	40	1620
K-RR1-3/4	3/4"	1-1/4"	24	-	40	1769
K-RR5-5/8	5/8"	1-1/4"	30	-	40	1999
K-RR5-3/4	3/4"	1-1/4"	30	-	40	2186

Similar to ISM RR1 and RR5 Series

K-GR1-5/8	5/8"	1-1/4"	24	-	40	1620
K-GR1-3/4	3/4"	1-1/4"	24	-	40	1769
K-GR1-7/8	7/8"	1-1/4"	20	-	48	2448
K-GR5-5/8	5/8"	1-1/4"	30	-	40	2026
K-GR5-3/4	3/4"	1-1/4"	30	-	40	2212

Similar to ISM GR1 and GR5 Series

K-SWC7437-1/2 1M	1/2"	1-3/8"	24	-	40	1760
K-SWC7437-5/8 1M	5/8"	1-3/8"	24	-	40	1955
K-SWC7437-3/4 1M	3/4"	1-3/8"	24	-	40	2137
K-SWC7437-1/2 4M	1/2"	1-3/8"	24	-	40	1760
K-SWC7437-5/8 4M	5/8"	1-3/8"	24	-	40	1920
K-SWC7437-3/4 4M	3/4"	1-3/8"	24	-	40	2137


Similar to Bostitch SWC7437 Series

K-555-5/8	5/8"	1-1/4"	20	-	50	1830
K-555-3/4	3/4"	1-1/4"	20	-	50	1962

Similar to JK555 Series



Plier Staples, Jumbo Staples & Stitching Wire



Fastener	Leg	Crown	M/Box	Box/Carton	Box/Pallet	Pallet Weight
K-777/10	3/8"	1/2"	2.4	20	1,000	1921
K-777/12	1/2"	1/2"	2.4	20	800	1651
K-777/16	5/8"	1/2"	2.4	20	680	1727

Similar to JK777 Series

K-779/8	5/16"	1/2"	5	20	1,160	2097
K-779/10	3/8"	1/2"	5	20	800	1711
K-779/12	1/2"	1/2"	5	20	800	1922
K-779/14	9/16"	1/2"	5	16	544	1439
K-779/16	5/8"	1/2"	5	16	576	1714

Similar to JK779 Series

K-SB103020-3/8	3/8"	1/2"	2.4	10	600	1170
K-SB103020-1/2	1/2"	1/2"	2.4	10	600	1350
K-SB103020-5/8	5/8"	1/2"	2.4	10	600	1614

Similar to Bostitch SB103020 Series

K-590-19	3/4"	15/16"	2.8	8	384	1856
K-590-25	1"	15/16"	2.8	8	256	1431
K-590-32	1-1/4"	15/16"	2.1	8	256	1356

Similar to JK590 Series

K-SW9060 1	1"	1-1/4"	2	6	210	1685
K-SW9060 1 1/8	1-1/8"	1-1/4"	2	6	210	1790
K-SW9060 1 1/4	1-1/4"	1-1/4"	2	6	210	1930
K-SW9060 1 3/8	1-3/8"	1-1/4"	2	6	210	2070
K-SW9060 1 1/2	1-1/2"	1-1/4"	2	6	210	2210

Similar to ISM Greenline series and Bostitch SW9060 series

Stitching Wire		LB/Spool	Spool/Case	Cases/Pallet	Weight/Pallet
K-103020-C10	Copper Plastic Spool	10	5	42	1995
K-103020-C25	Copper Plastic Spool	25	2	48	2208
K-103020-G10	Galvanized Plastic Spool	10	5	42	1995
K-103020-G25	Galvanized Plastic Spool	25	2	48	2208
K-103023-G25	Galvanized Plastic Spool	25	2	48	2208
K-103028-G25	Galvanized Plastic Spool	25	2	48	2208

